



BWL Tier 3 Event Venue Requirements

Functional Area	Requirements	Details	Quantity
Field of Play	8 x 8m	Flat surface, solid floor. No sprung or semi-sprung floors without additional protection	1
	4 x 4m competition lifting area	May be a purpose made weightlifting platform or a marked out area on a floor surface that is suitable for weightlifting	1
	Chairs	For Technical Officials	8
	Tables	6ft trestle with cloth	2
	230v power access		3
	Spectator seating	Tiered, or mixed flat floor and tiered	n/a
Warm up Room	Approx. 135sqm floorspace	Flat surface, solid floor. No sprung or semi-sprung floors without additional protection. Ideally rectangular in shape with no obstructions.	1
	2.5 x 3m warm up lifting area	May be a purpose made weightlifting platform or a marked out area on a floor surface that is suitable for weightlifting	Ratio of 1 platform to 3 athletes in your largest group
	Chairs		2 per warm up platform
	Tables	6ft trestle with cloth	1 total
	230v power access		2 total

Weigh in Room	3 x 3m		1
	Chairs		3 per room
	Tables	School desk size as minimum	1 per room
	230v power access		1 per room
Changing room	Changing benches	For approximately 6 people	1
	Showers		
	Lockers	Desirable	
Anti-Doping Control Station	3 x 3m		1
	Chairs		4
	Tables	6ft trestle with cloth	1
	Accessible toilet nearby		1

BWL Tier 3 Event Venue Requirements

For more information or detailed information please contact British Weight Lifting events by calling 01132 249 402 or email competitions@britishweightlifting.org